

ClearOne Aura™

With **Aura**,
Professionals can
now **Re-imagine**
their **Workspaces**
at **Home**



UNITE® 10 Webcam



Easily mounts on your PC or laptop display to provide full 1080p30 image quality for cloud-based video conferencing.

Aura Professional Home Office Solution

Dramatically enhances the audio and video experience for any **cloud-based collaboration** application for your **professional home office**

COMPATIBLE WITH




Enhance Your Cloud Collaboration

Highlights

- ✦ Supports up to 1080p@30 Full HD.
- ✦ Auto focus.
- ✦ Easily mounted on PC or laptop display.
- ✦ Use with PC or laptop and webconferencing applications such as ClearOne's COLLABORATE® Space, Microsoft® Teams, Zoom™, WebEx™, GoToMeeting™, and others.
- ✦ FREE COLLABORATE® Space lifetime subscription — ClearOne's high quality, award winning cloud-based video collaboration application.
- ✦ Pair the new UNITE 10 Pro Webcam with a ClearOne CHAT 50 or CHAT 150 speakerphone for the ultimate personal collaboration workspace for both highquality video and audio.

Aura Professional Home Office Application

Complete your **UNITE® 10 Pro Webcam** setup by adding other ClearOne Aura products



Specifications

- + AUR-2100-010 UNITE® 10 Pro Webcam

INCLUDES

- + Free COLLABORATE® Space lifetime subscription

VIDEO

- + VIDEO FORMAT: 1080p@30 fps/25 fps, 720p30/25
- + 5 Mega Pixels
- + Lens: FOV: Horizontal angle of view: wide angle up to 90°
- + Video Format: MJPEG, YUY2
- + Easy installation: equipped with bracket to fit almost any display, easy to install, stable and reliable

AUDIO

- + Built-in digital microphone

COMPATIBILITY

- + Operating systems: Windows® 7 (1080p and under only), Windows 8.1, Windows 10 or higher, Linux, MAC OS™ 10.10 or higher, Google™ Chromebook™ Version 29.0.1547.70 or higher
- + 2.4 GHz Intel® Core 2 Duo processor or higher
- + 2 GB RAM or more
- + USB 2.0 port
- + Color system/compression: H.264 / MJPEG

INPUT/OUTPUT INTERFACE

- + USB Interface: 1xUSB 2.0: Type A
- + 1.5 m USB 2.0 cable

POWER

- + Input voltage: 5 V (USB power supply)

ENVIRONMENTAL

- + Operating temperature: 14° F ~ 104° F (-10° C ~ 40° C)
- + Humidity: 10% ~ 95% RH
- + Atmospheric pressure: 86 Kpa ~ 106 Kpa

Sales & Inquiries

Headquarters

5225 Wiley Post Way
Suite 500
Salt Lake City, UT 84116

Headquarters

US: +1.801.975.7200
International: +1.801.975.7200

Aura Sales

US: +1.888.HEY.AURA
International: +1.801.975.7200
aurasales@clearone.com

Aura Tech Support

US: +1.888.HEY.AURA
International: +1.801.975.7200
auratechsupport@clearone.com